

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT IDENTIFIER** Four Seasons Trewax Boat Wax

**OTHER MEANS OF IDENTIFICATION** None known.

**RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS OF USE**

**Recommended Use** Boat Wax  
**Uses advised against** See product label for usage restrictions.

**DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**COMPANY IDENTITY** Beaumont Products, Inc.  
**COMPANY ADDRESS** 1560 Big Shanty Drive  
**COMPANY CITY, STATE, ZIP** Kennesaw, GA 30144  
**COMPANY PHONE** 1-800-451-7096  
**EMERGENCY PHONE** CHEMTEL: 1-800-255-3924, Int'l: 1-813-248-0585

**SECTION 2: HAZARDS IDENTIFICATION**


**CLASSIFICATION**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not Classified
Acute toxicity - Dermal	Not Classified
Aspiration toxicity	Category 1

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS**

**Emergency Overview**

<b>Signal Word</b>	<b>Danger</b>	
<b>Hazard Statements</b>	May be fatal if swallowed and enters airways	
		
<b>Appearance</b>	<b>Physical State</b>	<b>Odor</b>
Amber paste	Paste/Gel Liquid	Solvent

**PRECAUTIONARY STATEMENTS – Response**

Immediately call a POISON CENTER or doctor/physician  
 Specific Treatment (See Section 4 on the SDS)  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

**Other Information**

- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

Unknown Acute Toxicity                      39.6% of the mixture consists of ingredient(s) of unknown toxicity

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAME	CAS#	WT%	Trade Secret
Distillates (petroleum), hydrotreated light	64742-47-8	30 – 60	*
Diatamaceous Earth	61790-53-2	7 – 13	*

The exact percentages (concentrations) of composition has been withheld as a trade secret.

**SECTION 4: FIRST AID MEASURES**

**FIRST AID MEASURES**

**GENERAL ADVICE**

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

**SKIN CONTACT**

Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

**EYE CONTACT**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**INGESTION**

Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.

**INHALATION**

Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

**SELF-PROTECTION OF THE FIRST AIDER**

Use personal protective equipment as required.

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

**Symptoms**

Any additional important symptoms and effects are described in Section 11: Toxicology Information.

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

**Notes to Physician**

Treat symptomatically.

**SECTION 5: FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No Information available.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

**Personal Precautions** Ensure adequate ventilation, especially in confined areas.

**ENVIRONMENTAL PRECAUTIONS**

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

**METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers.

**SECTION 7: HANDLING AND STORAGE****PRECAUTIONS FOR SAFE HANDLING**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

**Incompatible materials** None known based on information supplied.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diatamaceous Earth 61790-53-2	-	(vacated) TWA: 6 mg/m <sup>3</sup> Silica, amorphous <1% Crystalline silica : (80)/(%) SiO <sub>2</sub> mg/m <sup>3</sup> TWA TWA: 20 mppcf	-

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**APPROPRIATE ENGINEERING CONTROLS**

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** No special technical protective measures are necessary. Wear protective gloves and protective clothing. Prolonged contact may cause redness and irritation. Wear protective gloves and protective clothing if needed.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene** Handle in accordance with good industrial hygiene and safety practice.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

**Physical state** Paste/Gel Liquid  
**Appearance** Amber paste  
**Color** Amber  
**Odor** Solvent  
**Odor threshold** No Information available

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
pH	Not an Aqueous Solution	
Specific Gravity	0.90	
Viscosity	No Information available	

<b>Melting point/freezing point</b>	No Information available
<b>Flash point</b>	Above 200°F
<b>Boiling point / boiling range</b>	>= 227 °C / 441 ° F (at 760 mm Hg)
<b>Evaporation rate</b>	No Information available
<b>Flammability (solid, gas)</b>	No data available
<b>Flammability Limits in Air</b>	
<b>Upper flammability limit:</b>	No Information available
<b>Lower flammability limit:</b>	No Information available
<b>Vapor pressure</b>	No Information available
<b>Vapor density</b>	No Information available
<b>Water solubility</b>	Insoluble in water
<b>Partition coefficient</b>	No Information available
<b>Autoignition temperature</b>	No Information available
<b>Decomposition temperature</b>	No Information available

**Other Information**

<b>Density Lbs/Gal</b>	7.50
<b>VOC Content (%)</b>	Not Applicable

**SECTION 10: STABILITY AND REACTIVITY****REACTIVITY**

No data available.

**CHEMICAL STABILITY**

Stable under recommended storage conditions.

**POSSIBILITY OF HAZARDOUS REACTIONS**

None under normal conditions.

**CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

**INCOMPATIBLE MATERIALS**

None known based on information supplied.

**HAZARDOUS DECOMPOSITION PRODUCTS**

None known based on information supplied.

**SECTION 11: TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
<b>Eye contact</b>	No data available. Avoid contact with eyes.
<b>Skin Contact</b>	No data available. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	No data available. Not an expected route of exposure. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated light 64742-47-8	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h

**Information on toxicological effects**

No Information available.

**Symptoms****Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No Information available.
<b>Germ cell mutagenicity</b>	No Information available.
<b>Carcinogenicity</b>	No Information available.
<b>Reproductive toxicity</b>	No Information available.
<b>STOT - single exposure</b>	No Information available.
<b>STOT - repeated exposure</b>	No Information available.
<b>Aspiration hazard</b>	No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 39.6% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

<b>ATEmix (oral)</b>	5,118.00 mg/kg
<b>ATEmix (dermal)</b>	2,094.00 mg/kg

**SECTION 12: ECOLOGICAL INFORMATION****Ecotoxicity**

39.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Distillates (petroleum), hydrotreated light 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	4720: 96 h Den-dronereides heteropoda mg/L LC50
Diatamaceous Earth 61790-53-2	-	10000: 72 h Cyprinus carpio mg/L LC50	-
Tall Oil Fatty Acid 61790-12-3	1000: 72 h Pseudokirchneriella subcapitata mg/L EC50	-	-

**Persistence and degradability** No Information available.

**Bioaccumulation** No Information available.

**Other adverse effects** No Information available.

**SECTION 13: DISPOSAL CONSIDERATIONS****Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	California Hazardous Waste Status
Diatamaceous Earth 61790-53-2	Toxic

**SECTION 14: TRANSPORT INFORMATION**

**DOT** NOT REGULATED  
 Proper Shipping Name NOT REGULATED  
 Hazard Class N/A

**SECTION 15: REGULATORY INFORMATION****International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product is not known to contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diatamaceous Earth 61790-53-2	X	-	-
Distillates (petroleum), hydrotreated light 64742-47-8	X	-	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**SECTION 16: ADDITIONAL INFORMATION**

<b>NFPA</b>	Health: 1	Flammability: 0	Instability: 0	Physical and Chemical Properties -
<b>HMIS</b>	Health: 1	Flammability: 0	Physical: 0	Personal protection X

<b>SDS REVISION NUMBER</b>	5.1
<b>SDS PREPARATION DATE</b>	04/SEP/2020
<b>SUPERCEDES</b>	Revision 5.0; 09/APR/2018
<b>REVISION NOTES</b>	None available.

**Disclaimer**

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available that is believed to be true and accurate.

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all information required by the *Controlled Products Regulations*.

The recommended hygiene and safe handling procedures are believed to be generally applicable to this product. However, each user should review these recommendations in a specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.